CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

```
 GGGGGGG   888888      11      222222                ZZZZZZZZ
GG         88    88    111     22    22                   ZZ
GG         88    88     11           222                ZZ
GG  GGGG   888888      11         222                ZZZZZZ
GG    GG   88    88     11       22                   ZZ
GG    GG   88    88     11      22                    ZZ
 GGGGGG    888888   11111111  22222222                ZZZZZZZZ
```

CROSSTABS

DCON/SOCC/GENSER

PROCESSING SITE = CC

JOB ID = SYSTEM SEQUENCE = JCIZ

77/04/23. 20.44.51.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 (REVISED) -- JANUARY 1, 1977

```
RUN NAME          TRIAL RUN FOR THE PARLEMENT
FILE NAME         PARIS
VARIABLE LIST     CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON,
                  YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR,
                  DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN,
                  SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR,
                  OFFIBP,PROPAR,AFTPAR,CARCNG,KIDIP,OBMR,POSBMR,MRPRO,MRAFT,MRCCNG,
                  MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC,
                  FROCC,SOCC,OFFMAR,OGRFIL,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS,
                  FILCFR,SFRFIL,CFRFIL,CGRFR,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR,
                  YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SONDEA,SAGMAR,WAGMAR,ADMAR,
                  MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON,
                  GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE
INPUT MEDIUM      CARD
NO. OF CASES      799
INPUT FORMAT      FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0,
                  1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X,
                  F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,
                  F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,
                  F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X,
                  F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,
                  F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,
                  F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0)
```

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
CON	F 1.0	1	6- 6
CONCL	F 1.0	1	7- 7
MR	F 1.0	1	8- 8
PAR	F 1.0	1	9- 9
PAE	F 1.0	1	10- 10
PAM	F 1.0	1	11- 11
DCON	F 1.0	1	13- 13
DCONCL	F 1.0	1	14- 14
DMR	F 1.0	1	15- 15
DPAR	F 1.0	1	16- 16
DPAE	F 1.0	1	17- 17
DPAM	F 1.0	1	18- 18
YCON	F 1.0	1	20- 20
YCONCL	F 1.0	1	21- 21

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
YMR	F 1. 0	1	22- 22
YPAR	F 1. 0	1	23- 23
YPAE	F 1. 0	1	24- 24
YPAM	F 1. 0	1	25- 25
NOMAR	F 1. 0	1	27- 27
UNOMAR	F 1. 0	1	28- 28
DUOMAR	F 1. 0	1	29- 29
GRMAR	F 1. 0	1	30- 30
FRMAR	F 1. 0	1	31- 31
UNSMAR	F 1. 0	1	32- 32
DUSMAR	F 1. 0	1	33- 33
GRPOS	F 1. 0	1	35- 35
FRPOS	F 1. 0	1	36- 36
SPOS	F 1. 0	1	37- 37
GSPOS	F 1. 0	1	38- 38
FROFF	F 1. 0	1	41- 41
FRCL	F 1. 0	1	42- 42
FRMIL	F 1. 0	1	43- 43
FRDMAR	F 1. 0	1	44- 44
FRDNUN	F 1. 0	1	45- 45
SKIDS	F 1. 0	1	47- 47
BROPAR	F 1. 0	1	48- 48
CUZPAR	F 1. 0	1	49- 49
UNCPAR	F 1. 0	1	50- 50
SOFF	F 1. 0	1	51- 51
SCL	F 1. 0	1	52- 52
SMIL	F 1. 0	1	53- 53
SDMAR	F 1. 0	1	54- 54
SDNUN	F 1. 0	1	55- 55
VOBPAR	F 1. 0	1	57- 57
OFFIBP	F 1. 0	1	58- 58
PROPAR	F 1. 0	1	59- 59
AFTPAR	F 1. 0	1	60- 60
CARCNG	F 1. 0	1	61- 61
KIDIP	F 1. 0	1	62- 62
OBMR	F 1. 0	1	64- 64
POSBMR	F 1. 0	1	65- 65
MRPRO	F 1. 0	1	66- 66
MRAFT	F 1. 0	1	67- 67
MRCCNG	F 1. 0	1	68- 68
MRKMR	F 1. 0	1	69- 69
MRINT	F 1. 0	1	70- 70
MRPAR	F 1. 0	1	71- 71
POSPAR	F 1. 0	1	73- 73
GENSER	F 1. 0	1	74- 74
FPROPR	F 1. 0	1	75- 75

DATA DOCUMENTS/INC.—SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
GRLOC	F 2. 0	2	6- 7
FRLOC	F 2. 0	2	9- 10
SLOC	F 2. 0	2	12- 13
GROCC	F 2. 0	2	15- 16
FROCC	F 2. 0	2	18- 19
SOCC	F 2. 0	2	21- 22
OFFMAR	F 2. 0	2	24- 25
OGRFIL	F 2. 0	2	27- 28
OFRFIL	F 2. 0	2	30- 31
OSFIL	F 2. 0	2	33- 34
OFILS	F 2. 0	2	36- 37
SFILGR	F 1. 0	2	39- 39
CFILGR	F 2. 0	2	41- 42
FRFILS	F 1. 0	2	44- 44
FILCFR	F 2. 0	2	46- 47
SFRFIL	F 1. 0	2	49- 49
CFRFIL	F 2. 0	2	51- 52
CGRFR	F 2. 0	2	54- 55
CSFR	F 2. 0	2	57- 58
SGRC	F 2. 0	2	60- 61
CGRSS	F 2. 0	2	63- 64
RCSGRS	F 2. 0	2	66- 67
YRCON	F 2. 0	2	69- 70
CCYR	F 2. 0	2	72- 73
YRMR	F 2. 0	2	75- 76
YEPAR	F 2. 0	2	78- 79
YRPAE	F 2. 0	3	6- 7
YAPAM	F 2. 0	3	9- 10
GRDEA	F 2. 0	3	12- 13
FRDEA	F 2. 0	3	15- 16
SONDEA	F 2. 0	3	18- 19
SAGMAR	F 2. 0	3	21- 22
WAGMAR	F 2. 0	3	24- 25
ADMAR	F 2. 0	3	27- 28
MSSAGE	F 2. 0	3	30- 31
MWSAGE	F 2. 0	3	33- 34
MADAGE	F 2. 0	3	36- 37
BRMAR	F 2. 0	3	39- 40
SISMAR	F 2. 0	3	42- 43
ZIZMAR	F 2. 0	3	45- 46
PRPROV	F 2. 0	3	48- 49
CMADPR	F 2. 0	3	51- 52
PROCON	F 2. 0	3	54- 55
GCONAG	F 2. 0	3	57- 58
MGRSAG	F 2. 0	3	60- 61
SMAGE	F 2. 0	3	63- 64

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
FGRDAG	F 2. 0	3	66- 67
SDAGE	F 2. 0	3	69- 70
AGECON	F 2. 0	3	72- 73
AGMR	F 2. 0	3	75- 76
PRAGE	F 2. 0	3	78- 79

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
               )/POSPAR(0)/GENSER(0)/FPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
MISSING VALUES YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
               PRAGE(0,99)
CROSSTABS      VARIABLES=DCON(0,7)/SOCC(0,19)/GENSER(0,5)/TABLES=DCON BY SOCC BY
               GENSER
STATISTICS     ALL
READ INPUT DATA

044100 CM NEEDED FOR CROSSTABS
```

DATA DOCUMENTS/INC-SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/23.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF DCON BY SOCC * * * * * * * * * * * * * * * * * * *

CONTROLLING FOR.. GENSER

VALUE.. 1 → FIRST TO SERVE

* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/04/23.)

* CROSSTABULATION OF *

DCON BY SOCC

CONTROLLING FOR.. GENSER

VALUE.. 1 → FIRST TO SGRUG

* * * * * * * * * * * * * * * * * * * \

ETA = .19243 WITH DCON DEPENDENT.
ETA = .15290 WITH SOCC DEPENDENT.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/23.)

* CROSSTABULATION OF *

DCON BY SOCC

CONTROLLING FOR.. GENSER

VALUE.. 2 → ONE GENERATION

* * * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/04/23.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

DCON BY SOCC

CONTROLLING FOR.. GENSER VALUE.. 2 → ONE GENERATION

* * * * * * * * * * * * * * * * * * \

ETA = .36391 WITH DCON DEPENDENT.
ETA = .15575 WITH SOCC DEPENDENT.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/23.)

* CROSSTABULATION OF *

DCON BY SOCC

CONTROLLING FOR.. GENSER

VALUE.. 3 → 2 GENERATIONS

* PAGE 1 OF 1

DCON \ SOCC	2 remained a con	3 became a MR	4 Paes au Paris Parl	5 Parl ou PP in Prov	6 Pres.-Aides ou Comptes	9 Chancelier	12 Ambass.	16 Conseil Privé	18 High House	19 Autre position	ROW TOTAL
2	3	1	0	0	0	0	0	0	0	0	4
	75.0	25.0	0	0	0	0	0	0	0	0	6.2
	13.6	5.6	0	0	0	0	0	0	0	0	
	4.6	1.5	0	0	0	0	0	0	0	0	
3	1	3	2	1	1	1	0	0	0	1	10
	10.0	30.0	20.0	10.0	10.0	10.0	0	0	0	10.0	15.4
	4.5	16.7	18.2	100.0	50.0	50.0	0	0	0	25.0	
	1.5	4.6	3.1	1.5	1.5	1.5	0	0	0	1.5	
4	2	3	0	0	0	1	1	1	0	0	8
	25.0	37.5	0	0	0	12.5	12.5	12.5	0	0	12.3
	9.1	16.7	0	0	0	50.0	33.3	100.0	0	0	
	3.1	4.6	0	0	0	1.5	1.5	1.5	0	0	
5	5	2	3	0	1	0	0	0	0	1	12
	41.7	16.7	25.0	0	8.3	0	0	0	0	8.3	18.5
	22.7	11.1	27.3	0	50.0	0	0	0	0	25.0	
	7.7	3.1	4.6	0	1.5	0	0	0	0	1.5	
6	8	7	3	0	0	0	1	0	1	0	20
	40.0	35.0	15.0	0	0	0	5.0	0	5.0	0	30.8
	36.4	38.9	27.3	0	0	0	33.3	0	100.0	0	
	12.3	10.8	4.6	0	0	0	1.5	0	1.5	0	
7	3	2	3	0	0	0	1	0	0	2	11
	27.3	18.2	27.3	0	0	0	9.1	0	0	18.2	16.9
	13.6	11.1	27.3	0	0	0	33.3	0	0	50.0	
	4.6	3.1	4.6	0	0	0	1.5	0	0	3.1	
COLUMN TOTAL	22	18	11	1	2	2	3	1	1	4	65
	33.8	27.7	16.9	1.5	3.1	3.1	4.6	1.5	1.5	6.2	100.0

1590-1599

1600-1609

1610-1619

1620-1629

1630-1639

1640-1650

RAW CHI SQUARE = 41.11170 WITH 45 DEGREES OF FREEDOM. SIGNIFICANCE = .6374

CRAMER'S V = .35566

CONTINGENCY COEFFICIENT = .62245

LAMBDA (ASYMMETRIC) = .13333 WITH DCON DEPENDENT. = .06977 WITH SOCC DEPENDENT.

LAMBDA (SYMMETRIC) = .10227

UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .18456 WITH DCON DEPENDENT. = .17919 WITH SOCC DEPENDENT.

UNCERTAINTY COEFFICIENT (SYMMETRIC) = .18183

KENDALL'S TAU B = .00301. SIGNIFICANCE = .4880

KENDALL'S TAU C = .00284. SIGNIFICANCE = .4880

CONDITIONAL GAMMA = .00377

SOMERS'S D (ASYMMETRIC) = .00307 WITH DCON DEPENDENT. = .00296 WITH SOCC DEPENDENT.

SOMERS'S D (SYMMETRIC) = .00301

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ETA = .34044 WITH DCON DEPENDENT.
ETA = .26522 WITH SOCC DEPENDENT.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/23.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

DCON BY SOCC

CONTROLLING FOR.. GENSER

VALUE.. 4 → 3 generations

* PAGE 1 OF 1

DCON	COUNT / ROW PCT / COL PCT / TOT PCT	SOCC 2 renouvelé a con	3 devenue a MR	4 Presse aux Paris Parl	6 Press. Aides ou Couples	10 suivant. destin.	16 Conseil prevue	ROW TOTAL
2		1	0	0	0	1	0	2
1590-1599		50.0	0	0	0	50.0	0	10.0
		12.5	0	0	0	33.3	0	
		5.0	0	0	0	5.0	0	
3		3	0	1	0	1	0	5
1600-1609		60.0	0	20.0	0	20.0	0	25.0
		37.5	0	25.0	0	33.3	0	
		15.0	0	5.0	0	5.0	0	
4		0	0	0	0	1	0	1
1610-1619		0	0	0	0	100.0	0	5.0
		0	0	0	0	33.3	0	
		0	0	0	0	5.0	0	
5		1	0	1	0	0	0	2
1620-1629		50.0	0	50.0	0	0	0	10.0
		12.5	0	25.0	0	0	0	
		5.0	0	5.0	0	0	0	
6		1	0	2	0	0	1	4
1630-1639		25.0	0	50.0	0	0	25.0	20.0
		12.5	0	50.0	0	0	100.0	
		5.0	0	10.0	0	0	5.0	
7		2	2	0	2	0	0	6
1640-1650		33.3	33.3	0	33.3	0	0	30.0
		25.0	100.0	0	100.0	0	0	
		10.0	10.0	0	10.0	0	0	
COLUMN TOTAL		8 / 40.0	2 / 10.0	4 / 20.0	2 / 10.0	3 / 15.0	1 / 5.0	20 / 100.0

RAW CHI SQUARE = 27.45833 WITH 25 DEGREES OF FREEDOM. SIGNIFICANCE = .3334
CRAMER'S V = .52401
CONTINGENCY COEFFICIENT = .76064
LAMBDA (ASYMMETRIC) = .35714 WITH DCON DEPENDENT. = .16667 WITH SOCC DEPENDENT.
LAMBDA (SYMMETRIC) = .26923
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .40827 WITH DCON DEPENDENT. = .42289 WITH SOCC DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .41545
KENDALL'S TAU B = .00649. SIGNIFICANCE = .4861
KENDALL'S TAU C = .00600. SIGNIFICANCE = .4861
CONDITIONAL GAMMA = .00800
SOMERS'S D (ASYMMETRIC) = .00662 WITH DCON DEPENDENT. = .00637 WITH SOCC DEPENDENT.
SOMERS'S D (SYMMETRIC) = .00649

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ETA = .67992 WITH DCON DEPENDENT.
ETA = .45754 WITH SOCC DEPENDENT.

DATA DOCUMENTS/INC.—SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/04/23.)

* CROSSTABULATION OF *

DCON BY SOCC

CONTROLLING FOR..

GENSER

VALUE.. 5 → 4 generations

* PAGE 1 OF 1

SOCC

DCON	COUNT / ROW PCT / COL PCT / TOT PCT	2 Remained a con	4 Pass as Paris Parl	19 Autre, position	ROW TOTAL
3		1	0	0	1
		100.0	0	0	16.7
		33.3	0	0	
		16.7	0	0	
4		0	0	1	1
		0	0	100.0	16.7
		0	0	100.0	
		0	0	16.7	
6		1	0	0	1
		100.0	0	0	16.7
		33.3	0	0	
		16.7	0	0	
7		1	2	0	3
		33.3	66.7	0	50.0
		33.3	100.0	0	
		16.7	33.3	0	
COLUMN TOTAL		3 50.0	2 33.3	1 16.7	6 100.0

1600-1609

1610-1619

1630-1639

1640-1650

RAW CHI SQUARE = 8.66667 WITH 6 DEGREES OF FREEDOM. SIGNIFICANCE = .1932
CRAMER'S V = .84984
CONTINGENCY COEFFICIENT = .76871
LAMBDA (ASYMMETRIC) = .33333 WITH DCON DEPENDENT. = .66667 WITH SOCC DEPENDENT.
LAMBDA (SYMMETRIC) = .50000
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .55789 WITH DCON DEPENDENT. = .68533 WITH SOCC DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .6158
KENDALL'S TAU B = .08704
KENDALL'S TAU C = .08333
CONDITIONAL GAMMA = .11111
SOMERS'S D (ASYMMETRIC) = .09091 WITH DCON DEPENDENT. = .08333 WITH SOCC DEPENDENT.
SOMERS'S D (SYMMETRIC) = .08696
ETA = .65938 WITH DCON DEPENDENT.
ETA = .99402 WITH SOCC DEPENDENT.

SUMMARY GAMMAS FOR CROSSTABULATION OF DCON BY SOCC
ZERO-ORDER GAMMA = -.01841
FIRST-ORDER PARTIAL GAMMA = -.03888

NUMBER OF MISSING OBSERVATIONS = 275

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER